



DV-Pro5 v5.0.0.331 Release Notes

- **Added “.mp4” output for AVI conversion. User may now export Video files in either AVI or MP4 format**
 - Added .mp4 button and Changed the reference of “Export AVI” to “Export MP4/AVI



[Note: This function appears by clicking on the “Export MP4/AVI” button in the “File tree” which is in between “File list” and “Map” on the bottom right side of the screen]

- **User may now Combine files and Combine channels for storage, sharing and playback in either AVI or MP4 format**
 - Generated files may be per channel or may be further combined to enable multi-channel files of longer duration




[Note: The above functions appear by clicking on the “Export MP4/AVI” button in the “File tree” which is in between “File list” and “Map” on the bottom right side of the screen]

DV-Pro5 v5.0.0.331 Release Notes


- **Updated the default settings**

- Default settings can be accessed by clicking on the “SD Config” tab in “File tree” which is located in between “Map” and “File List” as shown below.
- Once user click on the “Restore Default” tab, another dialog box appears as shown below: Click “YES” to store the default settings



DV-Pro5 v5.0.0.331 Release Notes

- The following screenshot shows the restored default settings for “General Settings”




The screenshot displays the DV-Pro5 v5.0.0.331 software interface. The window title is "DV-Pro". On the left, a sidebar menu lists "General Settings" (highlighted with a red box), "Channel Settings", "Event Settings", and "Network Settings". The main content area is titled "General Settings" and is divided into three sections:

- ID Settings:** Includes input fields for "Vehicle", "Driver Name", and "Driver ID".
- System Settings:** Includes sliders for "LCD Backlight: Day Mode" (set to 800) and "LCD Backlight: Night Mode" (set to 100). It also features checkboxes for "Display speed on LCD" (checked) and "Overlay speed on video" (unchecked).
- General Settings:** Includes dropdown menus for "Timezone" (set to "US/Eastern"), "Parking Duration" (set to "1 Hour"), and "File Download Duration" (set to "Disabled").

At the bottom of the window, the file location is "D:/config.txt". On the right side of the bottom bar, there are buttons for "Restore Defaults", "Source", "Save As", and "Save".

DV-Pro5 v5.0.0.331 Release Notes

- The following screenshot shows the restored default settings for “Channel Settings”



The screenshot displays the 'Channel Settings' window in the DV-Pro software. The left sidebar shows the navigation menu with 'Channel Settings' highlighted in red. The main area is divided into four sections, one for each channel (Channel 1 to Channel 4). Each channel section contains the following settings:

- Channel 1:**
 - Enable:
 - Driving FPS (0-30): 7
 - Parking FPS (0-30): 1
 - Driving Quality: 1-Normal
 - Parking Quality: 1-Normal
- Channel 2:**
 - Enable:
 - Driving FPS (0-30): 7
 - Parking FPS (0-30): 1
 - Driving Quality: 1-Normal
 - Parking Quality: 1-Normal
 - Microphone: OFF
- Channel 3:**
 - Enable:
 - Driving FPS (0-30): 7
 - Parking FPS (0-30): 1
 - Driving Quality: 1-Normal
 - Parking Quality: 1-Normal
 - Microphone: OFF
- Channel 4:**
 - Enable:
 - Driving FPS (0-30): 7
 - Parking FPS (0-30): 1
 - Driving Quality: 1-Normal
 - Parking Quality: 1-Normal
 - Microphone: OFF

At the bottom of the window, the file location is shown as 'D:/config.txt'. On the right side, there are four buttons: 'Restore Defaults', 'Source', 'Save As', and 'Save'.

DV-Pro5 v5.0.0.331 Release Notes

- The following screenshot shows the restored default settings for “Event Settings”

DV-Pro
✕

- ⚙️ General Settings
- 📷 Channel Settings
- 📅 Event Settings
- 🌐 Network Settings

Event Settings

Lock Event Files

Audible Event Notification

Driver Event Button Enabled Trigger Output Off Send Clip To Cloud

External Driver Event Button Enabled Trigger Output Off Send Clip To Cloud

Speed Event Enabled Trigger Output Off Send Clip To Cloud

Speed Threshold MPH KPH

G-Sensor

G-Sensor Enabled

Axis	Enabled	Basic	Parking	Critical
X	<input checked="" type="checkbox"/>	0.80	0.20	1.00
Y	<input checked="" type="checkbox"/>	0.80	0.20	1.00
Z	<input checked="" type="checkbox"/>	2.00	1.20	2.60

Basic Off Critical Off

Send Clip To Cloud Basic Critical

Sensor

Enable	Name	Short Name	Trigger Output	Send Clip To Cloud
<input type="checkbox"/>	Sensor #1	S1	Off	<input type="checkbox"/>
<input type="checkbox"/>	Sensor #2	S2	Off	<input type="checkbox"/>
<input type="checkbox"/>	Sensor #3	S3	Off	<input type="checkbox"/>
<input type="checkbox"/>	Sensor #4	S4	Off	<input type="checkbox"/>

Mobileye

Mobileye Enabled

Lane Departure Warning Send Clip To Cloud

Forward Collision Warning Send Clip To Cloud


Pedestrian Collision Warning Send Clip To Cloud

Speed Warning Threshold Level 0 +[0kmh]

File location: D:/config.txt
Restore Defaults Source Save As Save

DV-Pro5 v5.0.0.331 Release Notes

- The following screenshot shows the restored default settings for “Network Settings”



The screenshot displays the 'Network Settings' configuration window for the DV-Pro5 device. The interface is divided into three main sections: Wi-Fi Network Settings, LAN Network Settings, and RoscoLive Settings. The 'Network Settings' menu item in the left sidebar is highlighted with a red box.

Wi-Fi Network Settings

- Wifi Enabled
- WiFi SSID: DVXC4
- WiFiAuth Mode: Wpa2Psk
- IP Address Type: DHCP
- WiFi Password: [Redacted]
- IP Address: 0.0.0.0
- Subnetmask: 0.0.0.0
- Default gateway: 0.0.0.0

LAN Network Settings

- IP Address Type: DHCP
- Subnetmask: 0.0.0.0
- DNS Address: 8.8.8.8
- IP Address: 0.0.0.0
- Default gateway: 0.0.0.0

RoscoLive Settings

- 4G Mobile Network Enabled APN: [Redacted]
- Tracking Enabled
 - Host: proddirect.roscocloud.com
 - Port: 5600
 - Vehicle ID: 0
 - Report Interval: 5
 - Alarm Report Interval: 5
- Cloud Storage Enabled
 - Host: proddirect.roscocloud.com
 - Port: 5601
 - Fleet Token: 0
 - Send Local Events *Enable Send Local Events for RoscoLive Cloud Storage, disable for Geotab
- Live Video Enabled
 - Host: proddirect.roscocloud.com
 - Port: 5604

At the bottom of the window, the file location is shown as 'D:/config.txt'. Action buttons include 'Restore Defaults', 'Source', 'Save As', and 'Save'.


DV-Pro5 v5.0.0.331 Release Notes

- **Startup volume was set to 50% by default**



[Note: The option to increase the volume is available on the “Playback Menu bar”]

- **Added Graphic equalizer for enhanced audio quality and preamp value was set to 10 by default**



[Note: “Audio Equalizer” button is available on the “Playback Menu bar”. Clicking on the “Audio Equalizer button” opens the dialog box that enables user to adjust the Preamp value]

- **Added ability to associate “. nvr” files on Mac OS**

[Note: This feature provides an association between the files stored in “local drive” or “local SD” to pop-up with DV-Pro5. When user “double click” on “. nvr” files stored in any drive, those files open automatically with DV-Pro5]